MOUNTING: WALL, SURFACE

DESCRIPTION: ONE PIECE LOW COPPER ALUMINUM ALLOY DIE-CAST. MOLDED SILICONE GASKET. INTEGRAL HEAT SINK FINS HOUSING. STAINLESS STEEL FASTENERS. PMMA ACRYLIC OPTICAL LENS. 87% LUMEN MAINTENANCE AT 100 000 HOURS. MULTIVOLT. PROVIDED WITH DIMMING OCCUPANCY SENSOR. 1

LAMP: A - LED 4000K, 3000 LUMENS, 25W 1

MFR: A - KIM LIGHTING: UR20-24L-25-4KB-2-UNV-*-*-WSP-40F-1 1

OR APPROVED EQUAL

A

MOUNTING: GROUND, SURFACE

DESCRIPTION: LOW COPPER ALUMINUM ALLOY DIE-CAST HOUSING. MEDIUM SAND-BLASTED AND FIBER MOLD CAST CONCRETE SHAFT(S). PMMA ACRYLIC OPTICAL LENSES. 70% LUMEN MAINTENANCE AT 60 000 HOURS. MULTIVOLT. PROVIDED WITH DIMMING OCCUPANCY SENSOR. 1

LAMP: B - LED 4000K, 14W 1

MFR: B - KIM LIGHTING: PA7R CT-NU-3-121-010-4K7*-*MW-UNV 1

OR APPROVED EQUAL

B

MOUNTING: GROUND, SURFACE

DESCRIPTION: ONE PIECE DIE-CAST, LOW COPPER ALUMINUM IN A CYLINDRICAL SHAPE WITH INTEGRAL COOLING FINS. ONE-PIECE STAMPED SILICONE GASKET LENS FRAME. STAINLESS STEEL FASTENERS. FADE AND ABRASION RESISTANT, ELECTROSTATICALLY APPLIED, THERMALLY CURED, TRIGLYCIDAL ISOCYANURATE (TGIC) POLYESTER POWDER COAT. 70% LUMEN MAINTENANCE AT 60 000 HOURS. MULTIVOLT.

LAMP: F - LED - WF-3505 LUMENS, 25.96W 1

MFR: F - KIM LIGHTING: CFL - WF-21-45-35-UV-* 1

OR APPROVED EQUAL

F




MOUNTING: POLE

DESCRIPTION: DIES-CAST ALUMINUM HOUSING. ULTRA CLEAR PMMA LENS. 90% LUMEN MAINTENANCE AT 79 000 HOURS.

LAMP: P - LED 4000K, 4179 LUMENS, 30W 1

MFR: P - LIGHTING ASPIRE LED-C13058 1

OR APPROVED EQUAL

P




MOUNTING: WALL, RECESSED

DESCRIPTION: DIE-CAST ALUMINUM MARINE GRADE LUMIINAIRE HOUSIING. CLEAR SAFETY GLASS. HIGH TEMPERATURE SILICONE GASKET. MECHANICALLY CAPTIVE STAINLESS STEEL FASTENERS. STAINLESS STEEL SCREW CLAMPS. 70% LUMEN MAINTENANCE AT 60 000 HOURS. MULTIVOLT.

LAMP: S - LED - 4000K-56 LUMENS, 4.6W 1

MFR: S - BEGA LIGHTING: 33 053

OR APPROVED EQUAL

S




MOUNTING: GROUND, SURFACE

DESCRIPTION: LOW PROFILE LUMINAIRE, ONE PIECE LOW COPPER ALUMINUM ALLOY DIE-CAST. MOLDED SILICONE GASKET. INTEGRAL HEAT SINK FINS HOUSING. STAINLESS STEEL FASTENERS. 80.4% LUMEN MAINTENANCE AT 100 000 HOURS. MULTIVOLT. PROVIDED WITH DIMMING OCCUPANCY SENSOR. 1

LAMP: T1 - LED 4000K, 3000 LUMENS, 25W 1
T2 - LED 4000K, 7000 LUMENS, 65.0W

MFR: T1 - KIM LIGHTING: UR20-24L-25-4K8-2-UNV-*-*-WSP-40F-1 1
T2 - KIM LIGHTING: UR20-24L-65-4K8-5W-UNV-*-*-WSP-40F-1 1

OR APPROVED EQUAL

T1 T2




MOUNTING: WALL, RECESSED

DESCRIPTION: LOW COPPER ALUMINUM ALLOY EXTRUDED HOUSING. DIE-CAST DRIVER COMPARTMENT AND END CAPS. IMPACT RESISTANT TEMPERED GLASS LENS. STAINLESS STEEL EXTERNAL FASTENERS. PMMA ACRYLIC OPTICAL LENSES. 70% LUMEN MAINTENANCE AT 60 000 HOURS. MULTIVOLT.

LAMP: U - LED - 4000K, 4500 LUMENS, 42W 1

MFR: U - KIM LIGHTING: INT - 3-36L-40-4K7-N-UNV-K 1

OR APPROVED EQUAL

U

GENERAL NOTE:

(1) LIGHT FIXTURE SCHEDULE IS APPLICABLE FOR EXTERIOR IMPROVEMENTS - SITE WORK. 1

IF SHEET IS LESS THAN 24" X 36"
REDUCED PRINT - USE GRAPHIC SCALES

REVISIONS

| No. | Description | Date |
|---|---|---|
| 1 | ADDENDUM 1 | 12/6/22 |

TRMA
Taniguchi Ruth Makio Architects
100 Cliff Business Center, P.O. Box EA, Agana, GU 96910
Tel.: (671) 475-8772 • Fax.: (671) 472-3381

Architecture
Planning
Interior Design

EMCE • Consulting engineers
SUITE 201, 133 ANTONIA COURT
P.O. BOX 8888 TAMUNING, GUAM 96931
671. 649-0166/7 Phone
671. 646-EMCE (3623) Fax

ABNER V. MARIANO
REGISTERED PROFESSIONAL ENGINEER
373
COMMONWEALTH of NORTHERN MARIANAS ISLANDS

I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION

DATE: 10/7/2022

Project:

NMC

PACKAGE 2: EXTERIOR IMPROVEMENTS - SITE WORK ADDITIVE BID ITEM #1

Title:

LIGHT FIXTURE SCHEDULE - SHEET 3

100% CONSTRUCTION DOCUMENTS

| | |
|---|---|
| Designed: | JF/LB |
| Drawn: | NP/RS |
| Checked: | IA/AM |
| Supv: | AM |
| Scale: | AS INDICATED |
| Date: | 09/28/2022 |
| Project No. | 24-22-293 |

Drawing No.

E8.3

Sheet No. _____ of _____