

CCTV AND PA SYSTEM RISER DIAGRAM

1 TELECOMMUNICATIONS RISER DIAGRAM - SHEET 2
NOT TO SCALE

GENERAL NOTES:

- 1 CONTRACTOR TO COORDINATE AND VERIFY OWNER'S SECURITY SYSTEM CONSULTANT THE INFRASTRUCTURE REQUIREMENTS FOR THE SECURITY SYSTEM AND PUBLIC ADDRESS SYSTEM. SUBMIT DETAILED SHOP DRAWING TO CONTRACTING OFFICER FOR REVIEW AND APPROVAL. SHOP DRAWINGS MUST INDICATE ALL PROVISIONS (CONDUIT, INFRASTRUCTURE, POWER CONNECTIONS, HARDWARE, ETC.), DIAGRAMS AND FLOOR PLANS SHOWING VERIFIED/APPROVED LOCATION OF DEVICES NECESSARY TO ACCOMMODATE THE SECURITY SYSTEM INSTALLATION BY OWNER'S SAFETY OFFICER FOR THE LOCATION OF CAMERAS.
- 2 DURING CONSTRUCTION, CLOSELY COORDINATE INSTALLATION OF INFRASTRUCTURE WITH OWNER'S SECURITY CONTRACTOR PRIOR TO CONCEALING ANY WORK. OBTAIN APPROVAL OF INSTALLATION FROM THE CONTRACTING OFFICER AND OWNER'S SECURITY CONTRACTOR.
- 3 UNLESS OTHERWISE NOTED, MINIMUM CONDUIT SIZE MUST BE 1"Ø.
- 4 SEE TELECOMMUNICATIONS FLOOR PLANS FOR CCTV JUNCTION BOX AND SPEAKER JUNCTION BOX QUANTITY AND LOCATION.

NOTES:


- 1 RESERVED SPACE FOR PUBLIC ADDRESS (PA) SYSTEM.
- 2 RESERVED SPACE FOR CLOSED CIRCUIT TELEVISION (CCTV).

| REVISIONS | | |
|-----------|-------------|------|
| No. | Description | Date |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

TRMA
Taniguchi Ruth Makio Architects
100 Cliff Business Center, P.O. Box EA, Agaña, GU 96910
Tel.: (671) 475-8772 • Fax.: (671) 472-3381

Architecture
Planning
Interior Design

EMCE
EMCE • Consulting engineers
SUITE 201, 133 ANTONIA COURT
P.O. BOX 8888 TAMUNING, GUAM 96931
671 . 649-0166/7 Phone
671 . 646-EMCE (3623) Fax



Project:
NMC
PACKAGE 1: STUDENT
CENTER BUILDING

Title:
TELECOMMUNICATIONS
RISER DIAGRAMS -
SHEET 2
CONSTRUCTION
DOCUMENTS

Designed: JF/LB
Drawn: NP/RS
Checked: IA/AM
Supv: AM
Scale: AS INDICATED
Date: 10/07/2022
Project No. File

Drawing No.
T2.6
Sheet No. of